



Model	HNF-135		Unit	
Performance	Loading capacity		kg	13500
	Load center		mm	600
	Maximum fork height		mm	3500
	Lifting speed(wz/wo load)		mm/s	220/270
	Mast tilt angle (forward/backward)		°	6/12
	Max. Travel speed (full load/without load)		kmh	28/30
	Turning radius(outside)		mm	4450
	Grade ability (wz/wo load)		%	20/22
Dimension	Overall length (wz/wo fork)		mm	6055/4855
	Fork size (L*W*T)		mm	1200*180*900
	Overall width		mm	2250
	Width of fork carriage		mm	2200
	Overall height	mast lowed	mm	3000
		overhead guard	mm	3000
	Wheelbase		mm	3000
	Ground clearance (wz load)	wheelbase center	mm	350
		mast lowered point	mm	225
Weight	Total weight		kg	19000
Tire	Tire numbers & size Front			4X11.00-18PR

	Tire numbers & size Rear			2X11.00-18PR
	Wheel tread	Front	mm	1677
		Rear	mm	2013
Brake	Service	Air over Hydraulic clamp disc brake		
	Parking			
Transmission	Manufacturer /Type	Automatic power-shift		
	Number of speed	Forward2/Reverse2		
Engine	Option 1.	Manufacturer/Model	YUCHAI	YC6J150-T301
		Rated power/rotate speed	kw/r.pm	125/2200
		Max. torque/rotate speed	N.m/r.pm	650/1400
	Option 2.	Manufacturer/Model	CUMMINS	QSB4.5-C130
		Rated power/rotate speed	kw/r.pm	97/2200
		Max. torque/rotate speed	N.m/r.pm	

Note: the above data are subject to change without prior notice.





